



## Town and Country Planning Act 1990

### PLANNING PERMISSION

#### Name and address of applicant

Corby Limited  
c/o Icen Projects  
Da Vinci House  
44 Saffron Hill  
London  
EC1N 8FH

#### Name and address of agent

Jon Wright  
c/o Icen Projects  
Da Vinci House  
44 Saffron Hill  
London  
EC1N 8FH

### Part I - Particulars of application

---

#### Date of Application

18 August 2020

#### Application No.:

NCC Ref: 20/00048/WASVOC  
CBC Ref: 20/0384/COC

---

### Particulars and location of development

Planning Application 20/00048/WASVOC for Variation of drawings approved under condition 2 of planning permission 19/00027/WASFUL to amend buildings and ancillary facilities elevations, footprint, and layout to accommodate facility as a single line plant.

Land at Shelton Road, Willowbrook East Industrial Estate, Corby, NN17 5XH

---

### Part II - Particulars of decision:

#### The Northamptonshire County Council

Hereby give notice in pursuance of the provisions of the Town and Country Planning Act 1990 that **permission has been granted** for the carrying out of the development referred to in Part I hereof in accordance with the application and plans submitted subject to the following conditions: -

#### Commencement

1. The development hereby permitted shall be begun before the **5 October**

**Note:** This permission only relates to planning permission and does not include consent under the Building Regulations for which separate permission may be required. The requirements of the Chronically Sick and Disabled Persons Act 1970, the Disability Discrimination Act 1995 and the Special Education Needs and Disability Act 2001 should also be adhered to wherever appropriate.

**2022 (fifth October twenty twenty two).** Written notification of the date of commencement shall be sent to the Waste Planning Authority within seven days of such commencement.

**Reason:** To comply with Section 91 of the Town and Country Planning Act as amended by the Planning and Compulsory Purchase Act 2004.

### Scope of the Permission

2. Except as otherwise required by conditions attached to this planning permission the development hereby permitted shall be carried out in accordance with the following approved documents, plans and mitigation measures:

- Application Forms dated 17 August 2020.
- Planning Statement dated August 2020.
- Design and Access Statement in Planning Statement dated August 2020.
- Statement of Community Involvement dated February 2019.
- R1 Calculation and Supporting Statement (Ref: CEL-REP-T-049) dated 31 January 2018
- CHP Assessment undated but comprising 17 pages and a one-page Non-Technical Summary.
- BREEAM Pre-Assessment Review for Planning Dated 7 March 2019.
- Revised site access and highway improvements dwg 220049-0001 Rev P6 dated 14.10.20 submitted 15 October 2020.
- Revised planting scheme and Biodiversity Offsetting Calculation submitted with 20/00048/WASVOC 15 October 2020. Ref Keystone Environmental
- Revised calculations on the drainage submitted 15 October 2020 with application 20/00048/WASVOC ref 220049-MSJ-ZZ-XX-RP-D-4000-S2-P4 Surface Water Drainage Design.
- 

### Drawings

- Application Plan (Land Registry title plan)
- Drawing 220049-0001 Rev P6-Site Plan
- Drawing 220049-0002 Rev P2–Building Elevations Sheet 1 of 4
- Drawing 220049-0003 Rev P2–Building Elevations Sheet 2 of 4
- Drawing 220049-0004 Rev P2–Building Elevations Sheet 3 of 4
- Drawing 220049-0005 Rev P2–Building Elevations Sheet 4 of 4
- Drawing SK03- Indicative Catchment Area Plan

**Note:** This permission only relates to planning permission and does not include consent under the Building Regulations for which separate permission may be required. The requirements of the Chronically Sick and Disabled Persons Act 1970, the Disability Discrimination Act 1995 and the Special Education Needs and Disability Act 2001 should also be adhered to wherever appropriate.

Environmental Statement (As Amended August 2020)

- Section 4 The Proposed development
- Section 5 Alternatives and Design Evolution
- Section 6 Development Programme and Construction
- Section 7 Transport and Access
- Section 8 Air Quality and Odour
- Section 9 Noise and Vibration
- Section 10 Townscape and Views
- Section 11 Ecology and Nature Conservation
- Section 12 The Water Environment
- Section 13 Soils, Geology and Land Contamination
- Section 14 Waste Management
- Section 15 Archaeology and Cultural Heritage
- Appendix 5 the Proposed Development
- Appendix 7 Traffic and Access
- Appendix 8 Air Quality and Odour
- Appendix 9 Noise and Vibration
- Appendix 10 Townscape and Visual
- Appendix 11 Ecology and Nature Conservation
- Appendix 12 Water Quality and Hydrology
- Appendix 13 Soils Geology and Contaminated Land
- Appendix 15 Archaeology and Cultural Heritage
- Appendix 16 Green House Gas Assessment
- Appendix 17 Mitigation Schedule

**Reason:** To specify the approved documents and secure the mitigation measures set out in the Environmental Statement in the interests of amenity and the environment having regard to Policy 18 of the Northamptonshire Minerals and Waste Local Plan (July 2017).

## Waste Operations

3. The first commercial import of waste, including pre-treated materials, shall not take place until the plant has been constructed and is ready to commence commissioning. The Waste Planning Authority should be given notice of 10 working days of (a) when commissioning is due to commence and (b) when the first commercial import of waste is due to take place.
4. Prior to the first commercial import of waste to site the operator shall implement procedures to ensure that the site accepts and processes only waste of a non-hazardous nature and that a system is in place to deal with any other waste delivered to site.
5. Waste to be processed through the plant shall be confined to Refuse Derived Fuel and residual wastes after the removal of recyclates.

**Note:** This permission only relates to planning permission and does not include consent under the Building Regulations for which separate permission may be required. The requirements of the Chronically Sick and Disabled Persons Act 1970, the Disability Discrimination Act 1995 and the Special Education Needs and Disability Act 2001 should also be adhered to wherever appropriate.

**Reason for conditions 3 to 5:** To restrict the waste types and processes to those specified in the application in the interests of amenity and the environment having regard to Policy 18 of the Northamptonshire Minerals and Waste Local Plan (July 2017).

### **Operational Limits, including the Catchment Area for Waste**

6. The amount of imported waste/fuel shall not exceed 260,000 tonnes per annum (tpa).

**Reason:** To restrict the waste types and processes to those specified in the application in the interests of amenity protection and highway safety having regard to Policy 18 of the Northamptonshire Minerals and Waste Local Plan (July 2017) and Policy 8 of the North Northamptonshire Joint Core Strategy (July 2016).

7. Waste/fuel material in the form of RDF to be processed on the site shall originate from locations within a regional catchment area as specified in the Northamptonshire Minerals and Waste Local Plan. All residual waste to be processed on site shall originate from locations within a sub-regional catchment area predominately focused on Northamptonshire. The approved catchment areas are identified on plan Drawing SK04 dated 03/2020.. Waste cannot originate from outside the areas identified on each catchment area map. The area shown on each catchment area map can jointly or separately be amended if expressly approved in writing by the Waste Planning Authority as long as the geographical extent (in km<sup>2</sup>) remains the same.

**Reason:** To ensure that the materials are dealt with as close to their source as possible in the interests of self-sufficiency and sustainability having regard to Policy 12 of the Northamptonshire Minerals and Waste Local Plan (July 2017).

### **Storage and Processing**

8. No processing or storage of waste shall take place outside the proposed main tipping hall and waste processing building as shown on the Site Plan Drawing No. 220049-0001 Rev P6.

**Reason:** In the interests of amenity protection having regard to Policy 18 of the Northamptonshire Minerals and Waste Local Plan (July 2017) and Policy 8 of the North Northamptonshire Joint Core Strategy (July 2016).

**Note:** This permission only relates to planning permission and does not include consent under the Building Regulations for which separate permission may be required. The requirements of the Chronically Sick and Disabled Persons Act 1970, the Disability Discrimination Act 1995 and the Special Education Needs and Disability Act 2001 should also be adhered to wherever appropriate.

## Construction Management Scheme

9. Prior to the commencement of development, a Construction Management Scheme shall be submitted to and approved in writing by the Waste Planning Authority. The Construction Management Scheme shall include the relevant mitigation measures set out in the Environmental Statement and specify the provision to be made for the following:
- a. Overall strategy for managing environmental impacts which arise during construction;
  - b. Measures to control the emission of dust and dirt during construction;
  - c. Control of noise emanating from the site during the construction period;
  - d. Construction Plant Directional signage (on and off site);
  - e. Provision for emergency vehicles;
  - f. Provision for all site operatives, visitors and construction vehicles loading and unloading plant and materials;
  - g. Provision for all site operatives, visitors and construction vehicles for parking and turning within the site during the construction period;
  - h. Details of measures to prevent mud and other such material migrating onto the highway from construction vehicles;
  - i. Storage of plant and materials used in constructing the development;
  - j. Measures for the protection of trees, shrubs and hedges; and
  - k. Waste audit and scheme for waste minimisation and recycling/disposing of waste resulting from construction works including confirmation of any material exports, routeing and deposition sites.

The approved Construction Management Scheme shall be adhered to throughout the construction period and the approved measures shall be retained for the duration of the construction works.

**Reason:** In the interests of amenity protection and highway safety having regard to Policy 18 of the Northamptonshire Minerals and Waste Local Plan (July 2017) and Policy 8 of the North Northamptonshire Joint Core Strategy (July 2016).

**Note:** This permission only relates to planning permission and does not include consent under the Building Regulations for which separate permission may be required. The requirements of the Chronically Sick and Disabled Persons Act 1970, the Disability Discrimination Act 1995 and the Special Education Needs and Disability Act 2001 should also be adhered to wherever appropriate.

## Traffic Management Plan

10. Heavy Goods Traffic delivering waste feedstock shall be managed in accordance with the Traffic Management Plan by Entran Limited dated August 2020 approved in connection with planning permission 20/00047/WASFUL.

**Reason:** In the interests of amenity protection and highway safety having regard Policy 18 of the Northamptonshire Minerals and Waste Local Plan (July 2017) and Policy 8 of the North Northamptonshire Joint Core Strategy (July 2016).

## Hours of Working – Construction Phase and Deliveries and Collection

11. Except as otherwise approved in writing by the Waste Planning Authority all construction activities shall be restricted to between the hours of 07.00 and 19.00 Mondays to Fridays and 07.00 to 16.00 Saturdays with no construction activities on Sundays or Public and Bank Holidays.
12. Except as otherwise approved in writing by the Waste Planning Authority all deliveries and collection of feedstock (RDF, residual waste), and collections of operational wastes shall be restricted to be between the hours of 06.00 and 23.00 Monday to Friday and 08.00 hours to 16.00 hours Saturday and Sunday with no deliveries on Public Holidays.

**Reason:** In the interests of amenity protection having regard to Policy 18 of the Northamptonshire Minerals and Waste Local Plan (July 2017) and Policy 8 of the North Northamptonshire Joint Core Strategy (July 2016).

## Site Access and Highway Improvements

13. The sole vehicular access for the development hereby permitted shall be located as shown on the revised site access and highway improvements drawing 220049-0001 Rev P6 dated 14.10.20 submitted 15 October 2020. The improvements shall be completed in strict accordance with the approved details prior to the first commercial import of waste to the site and shall be maintained thereafter.
14. Prior to the first commercial import of waste to the site Shelton Road shall be improved in accordance with revised site access and highway improvements drawing 220049-0001 Rev P6 dated 14.10.20 submitted 15 October 2020. The improvements shall be completed in strict accordance with the approved details and shall be maintained thereafter.

**Note:** This permission only relates to planning permission and does not include consent under the Building Regulations for which separate permission may be required. The requirements of the Chronically Sick and Disabled Persons Act 1970, the Disability Discrimination Act 1995 and the Special Education Needs and Disability Act 2001 should also be adhered to wherever appropriate.

15. Construction traffic and associated HGV routeing relating to the construction compound shall be controlled in accordance with the submitted Construction Traffic Management Plan by Entran Limited dated August 2020.

**Reason for conditions 13 to 15:** In the interests of amenity protection and highway safety having regard to Policy 18 of the Northamptonshire Minerals and Waste Local Plan (July 2017) and Policy 8 of the North Northamptonshire Joint Core Strategy (July 2016).

## Highway Safety

16. Prior to commencement of development schemes for cleansing of the wheels of all HGVs leaving the site during construction and waste operations shall be submitted to and approved in writing by the Waste Planning Authority. The schemes as approved shall be fully implemented in accordance with the approved details prior to the commencement of construction and waste operations respectively. The schemes shall be maintained for the duration of construction and waste operations respectively.
17. All HGVs arriving at and leaving the site during the construction and operational phases shall be cleansed of mud and other debris to ensure that there is no nuisance dust and no mud or debris deposited on the public highway.
18. All HGVs arriving at and leaving the site during the construction and operational phases shall be sheeted or enclosed to prevent material spillage or wind blow. HGV's importing or exporting hazardous materials shall be within enclosed vehicles.

**Reason for conditions 16 to 18:** In the interests of amenity protection and highway safety having regard Policy 18 of the Northamptonshire Minerals and Waste Local Plan (July 2017) and Policy 8 of the North Northamptonshire Joint Core Strategy (July 2016).

## Landscape and Ecological Management/Construction Environmental Management

19. The development (including demolition, ground works, vegetation clearance) shall be controlled in accordance with the Construction Environmental Management Plan (CEMP) report CEL-REP-T-065 v 1.7 14 May 2019 prepared by Cobalt Energy in connection with planning application 19/00027/WASFUL.
20. The development shall be controlled in accordance with the approved landscape and ecological management plan (LEMP) as follows:

**Note:** This permission only relates to planning permission and does not include consent under the Building Regulations for which separate permission may be required. The requirements of the Chronically Sick and Disabled Persons Act 1970, the Disability Discrimination Act 1995 and the Special Education Needs and Disability Act 2001 should also be adhered to wherever appropriate.

- Revised Ecological and Environmental Enhancement and Management Plan, Revision D dated 22.06.20.
- Revised Planting Plan Drawing 317\_PP\_01\_V4.
- Revised planting scheme and Biodiversity Offsetting Calculation submitted with 20/00048/WASVOC dated 13-08-2020 and update submitted 15 October 2020

The approved LEMP will be implemented in accordance with the approved details.

21. Prior to the commencement of the development a Protected Species Precautionary Working Method Statement shall be submitted to the Waste Planning Authority for approval in writing. The statement as approved shall be implemented in

**Reason for conditions 19 to 21:** In the interests of amenity protection, landscape character and biodiversity having regard to Policies 18, 20 and 21 of the Northamptonshire Minerals and Waste Local Plan (July 2017) and Policies 3,4, 8 and 19 of the North Northamptonshire Joint Core Strategy (July 2016).

### Landscaping, Planting and Maintenance

22. The site shall be landscaped in accordance with the revised planting scheme and Biodiversity Offsetting Calculation submitted with 20/00048/WASVOC 15 October 2020. The scheme shall be implemented in full in the first planting season following the completion of the plant construction works.
23. Trees, shrubs and hedges planted in accordance with the approved scheme shall be maintained and any plants which within ten years of planting die, are removed or become seriously damaged or diseased shall be replaced in the next planting season with others of a similar size and species, unless otherwise agreed in writing with the Waste Planning Authority. All landscaping shall be carried out in accordance with the landscaping scheme approved under condition 19 and to a standard in accordance with the relevant recommendations of appropriate British Standards or other recognised codes of good practice.

**Reason:** In the interests of amenity protection, landscape character and biodiversity having regard to Policies 18, 20 and 21 of the Northamptonshire Minerals and Waste Local Plan (July 2017) and Policies 4 and 8 of the North Northamptonshire Joint Core Strategy (July 2016).

### Tree Protection

24. All trees, hedgerows and shrubs to be retained shall be protected from any

**Note:** This permission only relates to planning permission and does not include consent under the Building Regulations for which separate permission may be required. The requirements of the Chronically Sick and Disabled Persons Act 1970, the Disability Discrimination Act 1995 and the Special Education Needs and Disability Act 2001 should also be adhered to wherever appropriate.



development, including site clearance and the storage of earth and materials, by means of appropriate fencing in accordance with the provisions of the BS5837:2005. The fencing shall be erected before any equipment, machinery or materials are brought onto the site for the purposes of the development, and shall be maintained until all equipment, machinery and surplus materials have been removed from the site. Nothing shall be stored or placed within any fenced area, and the ground levels within those areas shall not be altered, nor shall any excavation be made, without the prior written consent of the Waste Planning Authority.

**Reason:** In the interests of amenity protection, landscape character and biodiversity having regard to Policies 18, 20 and 21 of the Northamptonshire Minerals and Waste Local Plan (July 2017) and Policies, 4 and 8 of the North Northamptonshire Joint Core Strategy (July 2016).

### **Perimeter Fencing and Planting**

25. Perimeter fencing shall be 2m high palisade fencing (metallic grey) as submitted in connection with permission 19/00027/WASFUL. The approved fencing shall be installed prior to the operation of the building and shall be maintained in accordance with the approved details for the lifetime of the development.

**Reason:** In the interests of amenity protection and landscape character having regard to Policies 18 and 21 of the Northamptonshire Minerals and Waste Local Plan (July 2017) and Policy 8 of the North Northamptonshire Joint Core Strategy (July 2016).

### **Contaminated Land**

26. The risks associated with contamination of the site shall be mitigated in full accordance with Corby Remediation Strategy: Corby Phase 1 Environmental Assessment; and the Corby Construction Environmental and Geotechnical Assessment submitted in connection with Planning Permission 19/00027/WSASFUL.
27. No occupation of any part of the permitted development shall take place until a verification report demonstrating completion of works set out in the approved remediation strategy and the effectiveness of the remediation shall be submitted to and approved, in writing, by the Waste Planning Authority. The report shall include results of sampling and monitoring carried out in accordance with the approved verification plan to demonstrate that the site remediation criteria have been met. It shall also include any plan (a "long-term monitoring and maintenance plan") for longer-term monitoring of pollutant linkages, maintenance and arrangements for contingency action, as identified

**Note:** This permission only relates to planning permission and does not include consent under the Building Regulations for which separate permission may be required. The requirements of the Chronically Sick and Disabled Persons Act 1970, the Disability Discrimination Act 1995 and the Special Education Needs and Disability Act 2001 should also be adhered to wherever appropriate.

in the verification plan. The long-term monitoring and maintenance plan as approved shall be implemented in full.

28. If during development, contamination not previously identified is found to be present at the site then no further development shall be carried out until the developer has submitted, and obtained written approval from the Waste Planning Authority for a remediation strategy detailing how this contamination shall be dealt with.

**Reason for conditions 26 to 28:** To ensure that risks from land contamination are minimised and to ensure that the development can be carried out safely without unacceptable risks to human health and the environment having regard to Policy 18 of the Northamptonshire Minerals and Waste Local Plan (July 2017) and Policy 8 of the North Northamptonshire Joint Core Strategy (July 2016).

29. No infiltration of surface water drainage into the ground is permitted other than with the express written consent of the Waste Planning Authority, which may be given for those parts of the site where it has been demonstrated that there is no resultant unacceptable risk to controlled waters. The development shall be carried out in accordance with the approved details.

30. Piling or any other foundation designs using penetrative methods shall be undertaken in accordance with the Delta-Simons Piling Risk Assessment and Remediation Strategy, Shelton Road, Corby, dated November 2017; and the Ground Gas Migration and Piling Risk Assessment Addendum, issued July 2019.

**Reason for conditions 29 and 30:** To ensure that risks from land contamination are minimised and to ensure that the development can be carried out safely without unacceptable risks to human health and the environment having regard to Policy 18 of the Northamptonshire Minerals and Waste Local Plan (July 2017) and Policy 8 of the North Northamptonshire Joint Core Strategy (July 2016).

### **Flood Risk and Drainage**

31. Surface water drainage shall be in accordance with the scheme and details submitted 15 October 2020 with application 20/00048/WASVOC ref 220049-MSJ-ZZ-XX-RP-D-4000-S2-P4 Surface Water Drainage Design. The scheme shall be implemented fully in accordance with the approved scheme and thereafter fully maintained.

**Reason:** To reduce the risk of flooding, both on and off site, in accordance with the NPPF, Policy 18 of the Northamptonshire Minerals and Waste Local

**Note:** This permission only relates to planning permission and does not include consent under the Building Regulations for which separate permission may be required. The requirements of the Chronically Sick and Disabled Persons Act 1970, the Disability Discrimination Act 1995 and the Special Education Needs and Disability Act 2001 should also be adhered to wherever appropriate.

Plan (July 2017) and Policy 5 of the North Northamptonshire Joint Core Strategy (July 2016) by ensuring the satisfactory means of surface water attenuation and discharge from the site.

32. No operations shall take place until a detailed scheme for the ownership and maintenance for every element of the surface water drainage system proposed on the site has been submitted to and approved in writing by the Waste Planning Authority and the maintenance plan shall be carried out in full thereafter. Details are required of which organisation or body will be the main maintaining body where the area is multifunctional (e.g. open space play areas containing SuDS) with evidence that the organisation/body has agreed to such adoption. The scheme shall include, a maintenance schedule setting out which assets need to be maintained, at what intervals and what method is to be used. A site plan including access points, maintenance access easements and outfalls. Maintenance operational areas to be identified and shown on the plans, to ensure there is room to gain access to the asset, maintain it with appropriate plant and then handle any arisings generated from the site. Details of expected design life of all assets with a schedule of when replacement assets may be required.

**Reason:** To ensure the future maintenance of drainage systems associated with the development in order to reduce the risk of flooding, both on and off site, in accordance with the NPPF, Policy 18 of the Northamptonshire Minerals and Waste Local Plan (July 2017) and Policy 5 of the North Northamptonshire Joint Core Strategy (July 2016) by ensuring the satisfactory means of surface water attenuation and discharge from the site

33. No operations shall take place until the Verification Report for the installed surface water drainage system for the site to be submitted in writing by a suitably qualified independent drainage engineer and approved by the Waste Planning Authority prior to operation of the site based on the approved Surface Water Drainage Design 219048-MSJ-ZZ-XX-RP-D-4000-S2-P3 rev P3 ref 219048 prepared by MSJ dated 12 June 2019. These shall include:

- a. Any departure from the agreed design is keeping with the approved principles.
- b. Any As-Built Drawings and accompanying photos.
- c. Results of any performance testing undertaken as a part of the application process (if required / necessary).
- d. Copies of any Statutory Approvals, such as Land Drainage Consent for Discharges etc.

**Reason:** To ensure the installed Surface Water Drainage System is satisfactory and in accordance with the approved reports for the development site in order to reduce the risk of flooding, both on and off site, in accordance

**Note:** This permission only relates to planning permission and does not include consent under the Building Regulations for which separate permission may be required. The requirements of the Chronically Sick and Disabled Persons Act 1970, the Disability Discrimination Act 1995 and the Special Education Needs and Disability Act 2001 should also be adhered to wherever appropriate.

with the NPPF, Policy 18 of the Northamptonshire Minerals and Waste Local Plan (July 2017) and Policy 5 of the North Northamptonshire Joint Core Strategy (July 2016) by ensuring the satisfactory means of surface water attenuation and discharge from the site.

## Noise

34. Prior to the installation of any external/internal plant and equipment, a noise scheme must be submitted to and agreed in writing by the Waste Planning Authority. The scheme must be carried out in accordance with BS4142:2014+A1:2019 'Method for rating and assessing industrial and commercial sound and must determine the current background noise levels for daytime and night (at the nearest existing noise sensitive premises). The rating level (as defined in BS4142:2014+A1:2019) of noise emitted at the application site (fixed plant, deliveries, operational activities) shall be no more than 5 dB(A) above background levels during the day (0700-2300 hours) or night (2300-0700 hours) as measured or calculated 3.5m from the façade of any existing residential property at a height of 1.2 or 1.5m at the closest existing noise sensitive windows. The assessment period shall be one hour during the day and fifteen minutes at night.
35. Noise impacts shall be controlled and managed fully in accordance with the submitted Entran Technical Note E2589 Corby prepared by Sunil Patel dated 24 April 2020, submitted in connection with Planning Permission 19/00027/WASFUL.
36. No vehicles and mobile plant used exclusively on site shall be operated unless they have been fitted with and use white noise reversing alarms. HGV's entering the site shall either be fitted with and use white noise reversing alarms, or other non-tonal alarms, or be routed and managed to minimise reversing manoeuvres.
37. No vehicle, plant, equipment or machinery used exclusively on site shall be operated at the site unless it has been fitted with and uses an effective silencer. All vehicles, plant, equipment and machinery shall be maintained in accordance with the manufacturer's specification.

**Reasons for conditions 34 to 37:** In the interests of amenity protection having regard to Policy 18 of the Northamptonshire Minerals and Waste Local Plan (July 2017) and Policy 8 of the North Northamptonshire Joint Core Strategy (July 2016).

## Lighting

38. No external lighting shall be erected or installed until a scheme has been

**Note:** This permission only relates to planning permission and does not include consent under the Building Regulations for which separate permission may be required. The requirements of the Chronically Sick and Disabled Persons Act 1970, the Disability Discrimination Act 1995 and the Special Education Needs and Disability Act 2001 should also be adhered to wherever appropriate.

submitted in writing and approved by the Waste Planning Authority. The scheme shall include a layout plan that covers all new proposed external lighting and details the proposed beam orientation and schedule of equipment in the design, including luminaire type, mounting height, aiming angles and luminaire profiles. This should be in accordance with Guidance Note 08/18 Bats and artificial lighting in the UK by the Bat Conservation Trust and Institution of Lighting Professionals. In addition a lighting contour map shall be submitted along with detail of the proposed operating hours for the lighting and how these would be controlled. The approved scheme shall be installed, maintained and operated in accordance with the approved details for the lifetime of the development.

**Reason:** In the interests of amenity protection and landscape character having regard to Policies 18 and 21 of the Northamptonshire Minerals and Waste Local Plan (July 2017) and Policy 8 of the North Northamptonshire Joint Core Strategy (July 2016).

## Design

39. Within 12 months of the first commercial import of waste to the site, a certificate to confirm that a Building Research Establishments Environmental Assessment Method (BREEAM) rating of 'very good' or better has been achieved shall be submitted to and approved in writing by the Waste Planning Authority.

**Reason:** In the interests of sustainability having regard to Policy 26 of the Northamptonshire Minerals and Waste Local Plan (July 2017) and Policy 9 of the North Northamptonshire Joint Core Strategy (July 2016).

## Building, Plant and Machinery

40. The external materials, colour and finishes for the fixed buildings shall be in accordance with the 'Building Materials Report' dated 28 March 2020 submitted in connection with Planning Permission 19/00027/WASFUL. The development shall be implemented in accordance with the approved details.

**Reason:** In the interests of amenity protection and landscape character having regard to Policies 18 and 21 of the Northamptonshire Minerals and Waste Local Plan (July 2017).

## Fire Risk Management

41. Prior to the importation of waste at the site, a fire risk management plan identifying the measures to mitigate and manage the risk of fire at the site shall be submitted to and approved in writing by the Waste Planning

**Note:** This permission only relates to planning permission and does not include consent under the Building Regulations for which separate permission may be required. The requirements of the Chronically Sick and Disabled Persons Act 1970, the Disability Discrimination Act 1995 and the Special Education Needs and Disability Act 2001 should also be adhered to wherever appropriate.

Authority. The plan shall take be based on the guidance by the Environment Agency 'Fire Prevention Plans Version 1, March 2015' and the Waste Industry Safety and Health Forum (WISH) 'Reducing the Fire Risk at Waste Management Sites'. The plan as agreed in writing shall be implemented and maintained thereafter.

**Reason:** In the interests of safety and amenity protection having regard to Policy 18 and 23 of the Northamptonshire Minerals and Waste Local Plan (July 2017).

### **Odour Management Plan**

42.No intake of waste to the site shall take place until an Odour Management Plan with details of measures to prevent odour nuisance at residential and industrial premises beyond the site boundary have been submitted to and approved in writing by the Waste Planning Authority. The development shall be implemented in accordance with the approved details which shall thereafter be retained and maintained for the duration of the development hereby permitted If amended or additional measures are required through the Environmental Permitting process these shall supersede the agreed plan.

**Reason:** In the interest of local amenity and having regard to Policy 18 of the Northamptonshire Minerals and Waste Local Plan (July 2017) and Policy 8 of the North Northamptonshire Joint Core Strategy (July 2016).

### **Travel Plan**

43.The Staff Travel Plan submitted in the Transport Assessment shall be implemented upon operation of the site and subsequently be reviewed after three months of operations, and thereafter at five yearly intervals. Any proposed updates to the Travel Plan shall be submitted to the Waste Planning Authority for approval in writing within three months of each review.

**Reason:** To reduce the number of car borne journeys related to the development and to encourage the use of means of transport other than the private car having regard to Policy 19 of the Northamptonshire Minerals and Waste Local Plan (July 2017).

### **Complaints Procedure**

44.In the event that complaints regarding noise, odour or dust during construction or operational phases are received by the Waste Planning Authority and thereafter notified to the operator, an assessment of the complaint shall be undertaken by the operator. A report on the findings, with proposals for removing, reducing or mitigating identified adverse effects

**Note:** This permission only relates to planning permission and does not include consent under the Building Regulations for which separate permission may be required. The requirements of the Chronically Sick and Disabled Persons Act 1970, the Disability Discrimination Act 1995 and the Special Education Needs and Disability Act 2001 should also be adhered to wherever appropriate.

resulting from the operation, and a programme for the implementation of remedial measures (if necessary) to be undertaken shall be submitted to the Waste Planning Authority no later than five working days from notification of the complaint to the operator, unless a later date is otherwise agreed in writing by the Waste Planning Authority. The approved remedial measures shall be implemented in full and thereafter maintained.

**Reason:** In the interests of amenity protection having regard to Policy 18 of the Northamptonshire Minerals and Waste Local Plan (July 2017) and Policy 8 of the North Northamptonshire Joint Core Strategy (July 2016).

## Monitoring

45. The operating company shall submit an annual report in writing to the Waste Planning Authority within one month of the first anniversary of operations commencing and at 12 monthly intervals thereafter. The report shall include detailed information on the types (including proportion of RDF and residual waste, quantities and sources of all waste materials brought on to the site and or taken off the site, including records that demonstrate compliance with the limit on imported waste (Condition 6) and the relevant indicative catchment area plans (Condition 7). The information required by these conditions shall also be supplied at any other time on written request by the Waste Planning Authority.

**Reason:** To enable the Waste Planning Authority to monitor progress towards achieving the principles in Policies 10, 12, 18, 19 and 25 of the Northamptonshire Minerals and Waste Local Plan (July 2017).

## Flue Stack Height

46. The flue stack shall be restricted to a maximum height of 75 metres in accordance with the submitted application.

**Reason:** To safeguard the visual amenity and the townscape and the settings of historic assets in the vicinity of the site (in particular the Grade 1 Listed Kirby Hall) having regard to: the NPPF; Policies 18, 21 and 22 of the Northamptonshire Minerals and Waste Local Plan (July 2017); and Policies 2, 3 and 27 of the North Northamptonshire Joint Core Strategy (July 2016).

## Local Liaison Group

47. A Local Liaison Group shall be facilitated in accordance with the scheme submitted in connection with planning permission 19/00027/WASFUL. The scheme shall be amended prior to the first meeting to take account of Covid 19 public health and safety requirements, and submitted to the Waste

**Note:** This permission only relates to planning permission and does not include consent under the Building Regulations for which separate permission may be required. The requirements of the Chronically Sick and Disabled Persons Act 1970, the Disability Discrimination Act 1995 and the Special Education Needs and Disability Act 2001 should also be adhered to wherever appropriate.

Planning Authority for agreement in writing. The amended scheme shall thereafter be implemented in accordance with the agreed details

**Reason:** To discuss and review the operator's current working practices and their future intentions and to monitor compliance with the Planning Permission in discussion with local community representatives and regulators having regard to Policy 25 of the Northamptonshire Minerals and Waste Local Plan (July 2017).

## Reinstatement

48. Following the date of first commencement, in the event that there is a cessation of the operations hereby permitted and the Waste Planning Authority reasonably considers that (a) the works to build the renewable energy plant have been permanently abandoned by the project company, or (b) following completion of such works, that commercial operations at the renewable energy plant have ceased permanently (it being reasonable to reach such conclusion where construction or electricity generation has ceased at the renewable energy generation plant for a continuous twelve month period, disregarding periods of reinstatement following events such as a change in law, insured event, grid curtailment, force majeure and planned outage), it shall notify the project company of its consideration and, unless written evidence has been submitted to and received by the Waste Planning Authority from the project company within 30 days of such notice which clearly demonstrates its intention to complete the works or recommence electricity generation (as applicable), a full scheme for the decommissioning of the plant, and restoration of the site including dismantling the buildings, flue stacks and other structures comprised in the renewable energy generation facility, and clearance of the site, shall be submitted in writing within 30 days of such notice for agreement and approval by the Waste Planning Authority. The scheme as agreed by the Waste Planning Authority shall thereafter be implemented and the site shall then be decommissioned and cleared in full accordance with the approved scheme and timescales as agreed in writing.

**Reason:** To safeguard townscape character should the development cease and to enable the site to be appropriately reinstated to an acceptable condition having regard to Policy 21 and Policy 24 of the Northamptonshire Minerals and Waste Local Plan (October 2017).

## POSITIVE AND PROACTIVE STATEMENT

In determining this application the Waste Planning Authority has worked positively and proactively with the applicant. The proposals and the content of the application have been assessed against relevant Development Plan policies, the National

**Note:** This permission only relates to planning permission and does not include consent under the Building Regulations for which separate permission may be required. The requirements of the Chronically Sick and Disabled Persons Act 1970, the Disability Discrimination Act 1995 and the Special Education Needs and Disability Act 2001 should also be adhered to wherever appropriate.



Planning Policy Framework, the National Planning Policy for Waste and the National Planning Policy Guidance. The Waste Planning Authority has identified all material considerations; considered any valid representations received; liaised with consultees to resolve issues; and, progressed towards a timely determination of the application. Issues of concern have been raised with the applicant, through negotiation and acceptable amendments to the proposals. The applicant has been given advance sight of the draft planning conditions. This approach to this application has been taken in accordance with the requirement in the National Planning Policy Framework, as set out in the Town and Country Planning (Development Management Procedure) (England) Order 2015.

Date...29 January 2021..... Signed .....  .....

For Assistant Director of Environment,  
Planning and Transport

**Note:** This permission only relates to planning permission and does not include consent under the Building Regulations for which separate permission may be required. The requirements of the Chronically Sick and Disabled Persons Act 1970, the Disability Discrimination Act 1995 and the Special Education Needs and Disability Act 2001 should also be adhered to wherever appropriate.

1. *If the applicant is aggrieved by the decision of the local planning authority to refuse permission or approval for the proposed development, or the grant permission or approval subject to conditions, he may appeal to the Secretary of State for the Environment in accordance with Sections 78 and 79 of the Town and Country Planning Act 1990 within six months of receipt of this notice. (Appeals must be made on a form which is obtainable from the Planning Inspectorate, 3/08a Kite Wing, Temple Quay House, 2 The Square, Temple Quay, Bristol, BS1 6PN). The Secretary of State has power to allow a longer period for the giving of a notice of appeal but he will not normally be prepared to exercise this power unless there are special circumstances which excuse the delay in giving notice of appeal. The Secretary of State is not required to entertain an appeal if it appears to him that permission for the proposed development could not have been granted by the local planning authority, or could not have been so granted otherwise than subject to the conditions imposed by them having regard to the statutory requirements (a), to the provisions of the development order, and to any direction given under the order. He does not in practice refuse to entertain appeals solely because the decision of the local planning authority was based on a direction given by him.*
2. *If permission to develop land is refused or granted subject to conditions, whether by the local planning authority or by the Secretary of State for the Environment and the owner of the land claims that the land has become incapable of reasonably beneficial use in its existing state and cannot be rendered capable of reasonably beneficial use by carrying out of any development which has been or would be permitted he may serve on the Council of the district in which the land is situated a purchase notice requiring that council to purchase his interest in the land in accordance with the provisions of Part VI of the Town and Country Planning Act 1990.*
3. *In certain circumstances, a claim may be made against the local planning authority for compensation, where permission is refused or granted subject to conditions by the Secretary of State on appeal or on a reference of the application to him. The circumstances in which such compensation is payable are set out in Section 114 of the Town and Country Planning Act 1990.*
  - (a) *The statutory requirements are those set out in Section 79(6) of the Town and Country Planning Act 1990, namely sections 70 and 72(1) of the Act.*
4. *Guidance on using the Planning Portal's online appeals service is available at <https://www.planningportal.co.uk/info/200207/appeals>*

**Note:** This permission only relates to planning permission and does not include consent under the Building Regulations for which separate permission may be required. The requirements of the Chronically Sick and Disabled Persons Act 1970, the Disability Discrimination Act 1995 and the Special Education Needs and Disability Act 2001 should also be adhered to wherever appropriate.